

Fig. 1A



Fig. 1B




Fig. 1C

This is a high-contrast, black-and-white image, possibly a microscopic view of a biological specimen or a heavily stained surface. The image is dominated by a dense, irregular pattern of dark, textured shapes against a white background. These dark shapes are of various sizes and shapes, some appearing as small, rounded clusters and others as larger, more elongated, and complex structures. The overall effect is one of a highly textured, almost crystalline or cellular appearance. The distribution of the dark material is uneven, with some areas being more densely packed than others. The image has a grainy, high-contrast quality, typical of a photocopy or a high-contrast scan of a biological sample.

Fig. 2C

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100



Fig-2D




Fig. 3A




Fig. 3B



Fig. 3C

Fig. 4A

Fig. 4B

Fig. 4C




Fig. 5A




Fig. 5B

This block contains a large, dark, rectangular area that appears to be a redacted photograph or a very dark scan of a document page. The area is mostly black with some visible noise and a few small white specks. There is no legible text or identifiable figures within this block.

This image is a large, solid black rectangle, which appears to be a redacted page or a blank document. There is no visible text or other content.




Fig 7A

Fig. 7B



Fig. 7C



Fig. 7D

A black and white micrograph of a tissue section, likely stained with hematoxylin and eosin (H&E). The image shows a dense population of cells with varying nuclear sizes and shapes. A prominent vertical band of darker, more densely packed cells runs through the center. Three arrows point to specific features: one in the upper right points to a small, dark, rounded cell; one in the lower left points to a larger, more complex cellular structure; and one in the lower right points to a small, dark, rounded cell. The overall texture is grainy, typical of a photomicrograph.

Fig. 7E




Fig. 8A



Fig. 8B



Fig. 8C




Fig. 9A




Fig. 9c




Fig. 9B






Fig. 10A



Fig. 10B



Fig. 10C

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100




Fig. 11



Fig. 12A



Fig. 12B




FIG. 13 is a perspective view of a grid structure 10, showing a top surface 12a and a bottom surface 12b. The grid is formed by a series of parallel lines 12, which intersect to form a grid of squares. The grid is shown in a perspective view, with the top surface 12a and the bottom surface 12b. The grid is formed by a series of parallel lines 12, which intersect to form a grid of squares. The grid is shown in a perspective view, with the top surface 12a and the bottom surface 12b.




Fig. 13